

In the Claims:

Please add new Claims 36 and 37, as indicated below. The status of all pending claims is as follows:

1. (Original) A liquid crystal panel having a liquid crystal layer sandwiched between a pair of substrates wherein:

 said liquid crystal layer comprises a liquid crystal and a cross-linked resin; and
 said cross-linked resin comprises a cross-linked structural part adhered to a liquid crystal layer contacting surface (adhered, cross-linked structural part) and a terminal part rising from the liquid crystal layer contacting surface (rising terminal part).

2. (Original) A liquid crystal panel according to claim 1, wherein said liquid crystal layer is formed by cross-linking, in the presence of a liquid crystal, a resin composition comprising one or more first compounds having a cross-linkable structural part, and a hydrophobic terminal part with a straight-chain section having three or more carbon atoms (hydrophobic, long-chain terminal part).

3. (Original) A liquid crystal panel according to claim 2, wherein the cross-linkable structural part of said first compound or compounds comprises a polar-group structural part.

4. (Original) A liquid crystal panel according to claim 3, wherein said polar-group structural part does not generate impurity ions.

5. (Original) A liquid crystal panel according to claim 2, wherein said resin composition in the liquid crystal layer is in the range of from 0.1 to 10 % by weight.


6. (Original) A liquid crystal panel according to claim 2, wherein said hydrophobic, long-chain terminal part is in the range of from 50 to 95 moles based on 100 moles of the first compound or compounds.

7. (Original) A liquid crystal panel according to claim 1, wherein said liquid crystal has a negative dielectric constant anisotropy.

8. (Original) A liquid crystal panel according to claim 2, wherein said hydrophobic, long-chain terminal part has an alkyl or alkoxy group having from 6 to 18 carbon atoms.

9. (Original) A liquid crystal panel according to claim 2, wherein said cross-linkable structural part of the first compound or compounds has two or more polymerizable double bonds per molecule.

10. (Original) A liquid crystal panel according to claim 2, wherein at least one compound represented by formula (1) or (2) below is included as the first compound or compounds,




(in formulae (1) and (2), R^1 is a hydrophobic, long-chain terminal part; A^1 is a trivalent group comprising an aliphatic chain that may be branched, an aromatic ring that may have a substituting group, an alicyclic ring that may have a substituting group, or nitrogen; A^2 is a tetravalent group comprising an aliphatic chain that may be branched, an aromatic ring that may have a substituting group, or an alicyclic ring that may have a substituting group; B^1 , B^2 and B^3 are, each, a cross-linkable structural part; and R^1 , B^1 , B^2 and B^3 can be selected independently from each other).




11. (Original) A liquid crystal panel according to claim 2, wherein said cross-linkable structural part of the first compound or compounds contains at least one benzene ring structure bonded to a polymerizable group directly or via a carbon atom.

12. (Original) A liquid crystal panel according to claim 2, wherein said one or more first compounds comprise a second compound with a cross-linkable structural part and substantially without a hydrophobic, long-chain terminal part.

13. (Original) A liquid crystal panel according to claim 12, wherein said second compound comprises at least one aromatic ring and at least one carbonyl group, respectively.

14. (Original) A liquid crystal panel according to claim 13, wherein at least one compound selected from the group consisting of the compounds represented by formulae (3) to (6) below is included as the second compound,









(in formulae (3) to (6), A^3 and B^4 are, independently from each other, a vinylene group or a propenylene group; R^3 is a divalent group; R^2 and R^4 are, independently from each other, hydrogen, an alkyl group that may be branched or an aromatic ring that may be substituted; at least one of R^2 , R^3 and R^4 is an aromatic ring; k , m , n and p are, independently from each other, 0 (zero) or 1; and R^2 - R^4 , A^3 , B^4 , k , m , n and p can be selected independently from each other).

15. (Original) A liquid crystal panel according to claim 12, wherein said second compound comprises a five-member ring structure.

16. (Original) A liquid crystal panel according to claim 15, wherein said five-member ring structure in the second compound is an acid anhydride structure or an imide structure.

17. (Original) A liquid crystal panel according to claim 15, wherein at least one compound selected from the group consisting of the compounds represented by formulae (7) to (10) below is included as the second compound,





(in formulae (7) to (10), X and Y are, each independently, hydrogen or a methyl group; R⁷ is a divalent organic group having a five-member ring structure; R⁸ and R¹⁰ are hydrogen or an organic group; R⁹ is a divalent organic group; at least one of R⁸, R⁹ and R¹⁰ has a five-member ring structure; R¹¹ is a tetravalent organic group constituting a tetracarboxylic acid residue; k, m, n and p are, independently from each other, 0 (zero) or 1; q and r are, independently from each other, an integer not less than 0 (zero) and not more than 6; and R⁸-R¹⁰, k, m, n, p, q and r can be selected independently from each other).

18. A liquid crystal panel according to one of claims 1 to 17, wherein said liquid crystal tilts while the tilting direction is regulated by uneven parts or slits of an electrode or electrodes when voltage is applied.

19. (Original) A method for manufacturing a liquid crystal panel having a liquid crystal layer sandwiched between a pair of substrates, wherein a resin composition comprising one or more first compounds having a cross-linkable structural part and a

hydrophobic terminal part with a straight-chain section having three or more carbon atoms (hydrophobic, long-chain terminal part), is cross-linked in the presence of a liquid crystal to form the liquid crystal layer, so that a cross-linked resin in the liquid crystal layer thus formed is made to comprise a cross-linked structural part adhered to a liquid crystal layer contacting surface (adhered, cross-linked structural part) and a terminal part rising from the liquid crystal layer contacting surface (rising terminal part).

20. (Original) A method for manufacturing a liquid crystal panel according to claim 19, wherein said cross-linkable structural part of the first compound or compounds comprises a polar-group structural part.

21. (Original) A method for manufacturing a liquid crystal panel according to claim 20, wherein said polar-group structural part does not generate impurity ions.

22. (Original) A method for manufacturing a liquid crystal panel according to claim 19, wherein said resin composition in the liquid crystal layer is in the range of from 0.1 to 10 % by weight.

23. (Original) A method for manufacturing a liquid crystal panel according to claim 19, wherein said hydrophobic, long-chain terminal part is in the range of from 50 to 95 moles based on 100 moles of the first compound or compounds.



24. (Original) A method for manufacturing a liquid crystal panel according to claim 19, wherein said liquid crystal has a negative dielectric constant anisotropy.

25. (Original) A method for manufacturing a liquid crystal panel according to claim 19, wherein said cross-linking is performed by an active energy ray.

26. (Original) A method for manufacturing a liquid crystal panel according to claim 19, wherein said hydrophobic, long-chain terminal part has an alkyl or alkoxy group having from 6 to 18 carbon atoms.

27. (Original) A method for manufacturing a liquid crystal panel according to claim 19, wherein said cross-linkable structural part of the first compound or compounds has two or more polymerizable double bonds per molecule.

28. (Original) A method for manufacturing a liquid crystal panel according to claim 19, wherein at least one compound represented by formula (1) or (2) below is included as the first compound or compounds,





(in formulae (1) and (2), R^1 is a hydrophobic, long-chain terminal part; A^1 is a trivalent group comprising an aliphatic chain that may be branched, an aromatic ring that may have a substituting group, an alicyclic ring that may have a substituting group, or nitrogen; A^2 is a tetravalent group comprising an aliphatic chain that may be branched, an aromatic ring that may have a substituting group, or an alicyclic ring that may have a substituting group; B^1 , B^2 and B^3 are, each, a cross-linkable structural part; and R^1 , B^1 , B^2 and B^3 can be selected independently from each other).



29. (Original) A method for manufacturing a liquid crystal panel according to claim 19, wherein said cross-linkable structural part of the first compound or compounds contains at least one benzene ring structure bonded to a polymerizable group directly or via a carbon atom.

30. (Original) A method for manufacturing a liquid crystal panel according to claim 19, wherein said one or more first compounds comprise a second compound with a cross-linkable structural part and substantially without a hydrophobic, long-chain terminal part.

31. (Original) A method for manufacturing a liquid crystal panel according to claim 30, wherein said second compound comprises at least one aromatic ring and at least one carbonyl group, respectively.

32. (Original) A method for manufacturing a liquid crystal panel according to claim 31, wherein at least one compound selected from the group consisting of the compounds represented by formulae (3) to (6) below is included as the second compound,









(in formulae (3) to (6), A^3 and B^4 are, independently from each other, a vinylene group or a propenylene group; R^3 is a divalent group; R^2 and R^4 are, independently from each other, hydrogen, an alkyl group that may be branched or an aromatic ring that may be substituted; at least one of R^2 , R^3 and R^4 is an aromatic ring; k , m , n and p are, independently from each other, 0 (zero) or 1; and R^2-R^4 , A^3 , B^4 , k , m , n and p can be selected independently from each other).

33. (Original) A method for manufacturing a liquid crystal panel according to claim 30, wherein said second compound comprises a five-member ring structure.

34. (Original) A method for manufacturing a liquid crystal panel according to claim 33, wherein said five-member ring structure in the second compound is an acid anhydride structure or an imide structure.

35. (Original) A method for manufacturing a liquid crystal panel according to claim 33, wherein at least one compound selected from the group consisting of the compounds represented by formulae (7) to (10) below is included as the second compound,



(in formulae (7) to (10), X and Y are, each independently, hydrogen or a methyl group; R^7 is a divalent organic group having a five-member ring structure; R^8 and R^{10} are

hydrogen or an organic group; R⁹ is a divalent organic group; at least one of R⁸, R⁹ and R¹⁰ has a five-member ring structure; R¹¹ is a tetravalent organic group constituting a tetracarboxylic acid residue; k, m, n and p are, independently from each other, 0 (zero) or 1; q and r are, independently from each other, an integer not less than 0 (zero) and not more than 6; and R⁸-R¹⁰, k, m, n, p, q and r can be selected independently from each other).

36. (New) A liquid crystal panel according to claim 1, wherein:
said adhered, cross-linked structural part is a chemical structure constituting an end section or an intermediate section of a molecule; and
said rising terminal part is a chemical structure constituting the end section of a molecule.

37. (New) The method for manufacturing a liquid crystal panel according to claim 19, wherein:
said adhered, cross-linked structural part is a chemical structure constituting an end section or an intermediate section of a molecule; and
said rising terminal part is a chemical structure constituting the end section of a molecule.